

unusual camouflage acts as an outward display of their brain activity. The cephalopods project patterns onto their skin to match what they see around them. But probing how their brains process stimuli has been difficult. Researchers would normally do this by embedding electrodes or other sensors into the skull — but squid and cuttlefish are boneless.

Last year, Montague and her team injected CRISPR components into cuttlefish and bobtail-squid embryos for the first time. Now, they are trying to genetically modify the animals' neurons to make them light up when they fire.

Other researchers are using CRISPR to study species' distinctive social behaviours. Daniel Kronauer, a biologist at the Rockefeller University in New York City, has created raider ants (*Ooceraea biroi*) that cannot smell pheromones. In experiments, the genetically modified ants were not able to sustain the complex hierarchy seen in a normal raider-ant colony (W. Trible *et al. Cell* **170**, 727–735.e10; 2017). The scientists are now using CRISPR to alter genes thought to influence raider ants' behaviour.

Then there are species that threaten human or environmental health — such as the pea aphid (*Acyrthosphion pisum*), an insect that attacks legume crops worldwide. To edit the aphid's genome with CRISPR, a team led by Shuji Shigenobu, an evolutionary geneticist at the National Institute for Basic Biology in Okazaki, Japan, had to manipulate the insect's complex life cycle. Female aphids born in summer reproduce asexually, by cloning themselves, whereas those born in autumn lay eggs. Shigenobu's team prompted its aphids to lay eggs by setting up an incubator that simulated the cool temperatures and short days of autumn. The scientists then injected the eggs with CRISPR components. After four years, they managed to edit a pigment gene as a proof of concept, Shigenobu announced last month during a conference at the Howard Hughes Medical Institute's Janelia Research Campus in Ashburn, Virginia.

Developing animal models requires immense amounts of time and money,

"We finally are ready to start expanding what we call a model organism."

and until recently there was little support for such work. In 2016, the US National Science Foundation launched a US\$24million programme

to create model organisms — and in doing so, reveal the genetic and molecular mechanisms behind complex traits and behaviours.

The programme supports research to create tools for probing species' genomes, study organisms' life cycles and develop protocols to raise these species in the lab. This support has begun to pay off: in March, for instance, researchers at the University of Georgia in Athens said that they had used CRISPR to create the first genetically modified reptile (A. M. Rasys *et al.* Preprint at bioRxiv http://doi.org/c4tz; 2019).

Despite such promising early results, the push to create model organisms with CRISPR has revealed how little is known about many species' genomes, life cycles and habits. Researchers also face practical challenges, such as determining how to inject CRISPR components into embryos, and coaxing finicky, fragile species to breed in the lab.

"The reason classic model systems were chosen was they're basically pests. Nothing can stop them growing," Montague says. "But if we take on this challenge of working on new organisms because they have an amazing feature, they're often not happy to grow under [just] any conditions."

INCHING FORWARDS

This has forced scientists to weigh the effort required to study a particular trait against the potential rewards. Editing a species' genome requires a deep understanding of its behaviour and life cycle — a tall order when that organism is studied by only a few labs worldwide. "People are not choosing these model systems lightly," says David Stern, a biologist at Janelia.

Still, researchers' interest in developing atypical animal models continues to grow. Montague and her colleagues have created CHOPCHOP, a tool that allows them to design a CRISPR system for any organism. So far, scientists have sent her genetic sequences from more than 200 species, including plants, fungi, viruses and farm animals.

"I had this weekly reminder that these molecular tools do work in pretty much every organism on the planet," Montague says. "It's such an exciting time to work on any model organism — especially these new and weird creatures."

PARTICLE PHYSICS

Physicists close in on neutron puzzle

Researchers are narrowing down their measurements of how long the subatomic particle survives on its own.

BY ALEXANDRA WITZE IN DENVER, COLORADO

Physicists are drawing nearer to answering a long-standing mystery of the Universe: how long a neutron lives.

Neutrons are electrically neutral particles that usually combine with protons to make up atomic nuclei. Some neutrons are not bound up in atoms; these free-floating neutrons decay radioactively into other particles in minutes.

But physicists can't agree on precisely how long it takes a neutron to die. Using one laboratory approach, they measure the average neutron lifetime as 14 minutes 39 seconds. Using a different approach, they get 8 seconds longer. "We don't know why they're different," says Shannon Hoogerheide, a physicist at the National Institute of Standards and Technology (NIST) in Gaithersburg, Maryland. "We really need to understand and eliminate this discrepancy." She and other scientists debated new ways to solve the problem this month at a meeting of the American Physical Society in Denver, Colorado.

Pinpointing the lifetime of a neutron is important for understanding how much hydrogen, helium and other light elements formed in the first few minutes after the Universe was born 13.8 billion years ago. Scientists also think that pinning down the neutron's lifetime would help to constrain measurements of other subatomic particles.

One way of clocking the neutron's lifespan is to put some of the particles in a bottle and count how many are left after a period of time. This 'bottle' method has been tried at several laboratories, including the Los Alamos National Laboratory in New Mexico¹ and the Institut Laue–Langevin in Grenoble, France. On average, they come up with a neutron lifetime of 14 minutes 39 seconds.

The other way is to feed neutrons into a detector that counts the protons created as the neutrons decay. This 'beam' method has been used at NIST and at the Japan Proton Accelerator Research Complex in Tokai. The Japanese work has just begun, but the NIST team reported in 2013 that its neutrons live eight seconds longer, on average, than those in the bottle method².

That's a big problem, because the beam and bottle measurements don't overlap, even when their margins of error are taken into account. So physicists have been looking for ways to explain why neutrons might be disappearing from bottles faster than from beams.

One possibility is that one of the two methods is doing something wrong. In that case, researchers might want to combine beam



and bottle in a single device. At the meeting, physicist Zhaowen Tang of the Los Alamos lab described his team's plans to put a particle detector inside a bottle neutron trap and count neutrons using both methods.

Another possibility is that the beam and bottle approaches have been measuring the neutron lifetime correctly, but that some unseen factor accounts for the discrepancy between the two. A leading idea is that neutrons might occasionally decay into not just protons but also dark matter, the mysterious unseen material that makes up much of the Universe³.

"It would be amazing if the good old neutron turns out to be the particle that opens the gates of the dark sector for us," says Bartosz Fornal, a theoretical physicist at the University of California, San Diego. But experimentalists haven't yet been able to confirm this, several teams reported at the Denver meeting.

In the meantime, the NIST beam experiment has been gathering fresh data, using sensitive detectors and other components that will make it more precise than past runs — measuring the neutron lifetime to within one second, rather than three to four seconds as has happened so far. "Everybody's waiting for the results," says Nadia Fomin, a physicist at the University of Tennessee in Knoxville. The team is already designing its next-generation experiment, which aims to nail the neutron lifetime to within 0.3 seconds.

1. Pattie, R. W. Jr et al. Science 360, 627-632 (2018).

- 2. Yue, A. T. et al. Phys. Rev. Lett. 111, 222501 (2013).
- Fornal, B. & Grinstein, B. Phys. Rev. Lett. 120, 191801 (2018).

POLITICS

Science embroiled in China-US tensions

Government-funded research, conference travel and visas are all touched by the situation.

BY ANDREW SILVER, JEFF TOLLEFSON & ELIZABETH GIBNEY

R esearch is becoming increasingly mired in ongoing political tensions between the United States and China. In the latest twist, the University of Texas

MD Anderson Cancer Center in Houston has moved to terminate the employment of three scientists after the US National Institutes of Health (NIH) said that they had committed serious violations of agency rules regarding confidentiality of peer review, conflicts of interest and disclosure of foreign ties. The agency also sent letters to MD Anderson, which receives NIH funding, about two other researchers.

The revelations, first published jointly by *Science* (see go.nature.com/2vhuxik) and the *Houston Chronicle*, are part of a wider NIH crackdown. MD Anderson officials have not released the names of the scientists, but confirmed to *Nature* that all self-identified as "Asian" on internal documents. *Science* reported that at least three are ethnically Chinese.

Meanwhile, Chinese scientists planning to attend meetings in the United States told *Nature* that they are experiencing significant delays in obtaining short-term visas. Those affected include star quantum physicist Jian-Wei Pan, who heads China's worldleading programme in super-secure quantum communication at the University of Science and Technology of China in Hefei.

Nature investigates the circumstances of the tensions, and the repercussions for scientists.

What's the background?

For several years, the United States has accused China of distorting global trade by offering



US President Donald Trump with Chinese President Xi Jinping in Florida in 2017.

generous subsidies to favoured industries and restricting foreign companies' access to its markets. It also says that Chinese policies are forcing US companies to hand over intellectual property in exchange for access to Chinese markets. After several rounds of negotiations to resolve these issues failed, US President Donald Trump started a trade war when he put tariffs on 818 Chinese goods. China followed suit with tariffs on 545 US goods. Further meetings between the two countries have so far failed to strike new trading terms.

How did science get sucked in?

Last August, NIH director Francis Collins wrote a letter to the more than 10,000 US institutions

that the agency funds, stating that it was concerned that "some foreign entities" were interfering in the funding, research and peer review of NIH-supported projects.

Then, earlier this month, Collins told the Senate Appropriations Committee that investigations at 55 US universities had found some "egregious" breaches of rules governing the agency's grants and that universities would this month announce actions they have taken against foreign scientists caught breaking rules.

MD Anderson says it received letters from the NIH concerning five of its scientists, and elected to terminate the employment of three after it and the University of Texas system investigated. Two of the researchers chose to resign, and